Part No. 350-200701

## T/ITO

# Arabian Magic

- Universal Conversion Kit
- Horizontal Video Game

MANUAL OF SPECIFICATIONS

TAITO AMERICA CORPORATION

390 HOLBROOK DRIVE


WHEELING, ILLINOIS 60090

PHONE: (708) 520-9280

FAX: (708) 520-1309

#### TEST MODE

• To enter the **TEST MODE**, press the test switch located on the Main PCB:




#### **TEST MODE MENU**

MONITOR SWITCH SWITCH TEST SOUND TEST CONFIGURATION FACTORY SETTINGS EXIT (RESET)


- For adjusting the monitor.
- For checking the input from switches.
- For setting the music and sound effects.
- For setting the game styles and difficulty levels.
- For setting back to factory recommended settings.
- For resetting all options.
- Select the desired test mode by using the JOYSTICK.
- Enter the test mode by pressing the ATTACK button.
- Except where noted, select EXIT to return to the main menu after completing a test.

#### 1. MONITOR TEST

- A crosshatch pattern and colored bars are displayed for adjusting the color monitor. To alternate between a crosshatch pattern and the color bar test, press ATTACK button.
- To exit this test and return to main menu, press the test switch.








**COLOR BARS** 

#### 2. SWITCH TEST


```
COIN - A: OFF
                        COIN - B: OFF
        COIN - C : OFF
                        COIN - D: OFF
      SERVICE 1: OFF SERVICE 2: OFF
      SERVICE 3: OFF
                           TILT: OFF
1P - CONT
             2P - CONT
                          3P - CONT
                                       4P - CONT
SLCT: OFF
            SLCT: OFF
                         SLCT: OFF
                                      SLCT: OFF
SW 1: OFF
            SW1:OFF
                         SW 1: OFF
                                      SW 1: OFF
SW 2: OFF
            SW 2: OFF
                         SW 2: OFF
                                      SW 2: OFF
SW 3: OFF
            SW 3: OFF
                         SW 3: OFF
                                      SW 3: OFF
LH U: OFF
             LH U: OFF
                         LH U: OFF
                                      LH U: OFF
LH D : OFF
             LH D : OFF
                         LH D: OFF
                                      LH D: OFF
LH L: OFF
             LH L: OFF
                          LH L: OFF
                                      LH L: OFF
LHR: OFF
             LHR: OFF
                         LHR: OFF
                                      LHR: OFF
```

- This is the screen display for a four player game.
- To exit this test and return to main menu, press the test switch.



- **SW 1** = ATTACK
- **SW 2** = **JUMP**
- · SW 3 = MAGIC
- When conducting a switch test, activate the switch to be tested. If operating normally, the display for that switch will change from OFF to ON.

#### 3. SOUND TEST



- For selecting the music and sound effects to be tested.
- For adjusting the sound level.
- For adjusting the balance (should be in center position).

#### 4. CONFIGURATION

GAME STYLE : D ~ H MONITOR : NORMAL

ATTRACT SOUND : ON

DIFFICULTY : NORMAL

PLAYER STOCK : 2

PLAYER EXTEND: 2000/8000

COIN A : 1 COIN

1 CREDIT

COIN B : 1 COIN

1 CREDIT

**EXIT** 

- To select cabinet styles (See below)
- To select normal or inverted image.
- To select attract sounds on or off.
- To select difficulty levels.
- To select number of lives.
- To select score levels for extended play.
- To select coin(s) per credit(s) for coin A.
- To select coin(s) per credit(s) for coin B.

To change settings, move joystick left or right.

	-	07/	-DV	CETTI	100
•=	$-\Delta$	4: IC	WY	SETTI	NGC

FUNCTIONS	SETTINGS	FUNCTIONS	SET	TINGS
	• D (2P)		• 1 COIN	1 CREDIT
GAME	E (1P)		1 COIN	2 CREDITS
STYLE	F (2P+2P)		1 COIN	3 CREDITS
""	G (4P 4 SLOTS)		1 COIN	4 CREDITS
	H (4P 2 SLOTS)		1 COIN	5 CREDITS
MONITOR	NORMAL		1 COIN	6 CREDITS
MONTOR	REVERSE		2 COINS	1 CREDIT
ATTRACT	• ON		2 COINS	2 CREDITS
SOUND	OFF		2 COINS	3 CREDITS
	EASY		2 COINS	4 CREDITS
DIFFICULTY	NORMAL		2 COINS	5 CREDITS
LEVEL	HARD	COIN	2 COINS	6 CREDITS
	VERY HARD	A	3 COINS	1 CREDIT
	1		3 COINS	2 CREDITS
PLAYER	• 2		3 COINS	3 CREDITS
STOCK	3		3 COINS	4 CREDITS
	4		3 COINS	5 CREDITS
	3000/8000		3 COINS	6 CREDITS
PLAYER	• 4500/9000		4 COINS	1 CREDIT
EXTEND	5000		4 COINS	2 CREDITS
	NONE		4 COINS	3 CREDITS
CONTINUE	1 COIN		4 COINS	4 CREDITS
PLAY	NORMAL		4 COINS	5 CREDITS
			4 COINS	6 CREDITS

#### • GAME STYLES:

- When using one two player cabinet, select D for 2 players or E for 1 player.
- When using two cabinets (via communication cable), select F for 2 players versus 2 players.
- When using one four player cabinet, select G for 4 individual coin slots or H for 2 shared coin slots.

#### · CONTINUE:

Select NORMAL to price the continued plays the same as COIN A.

 Select 1 COIN to price the continued plays at 1 COIN PER, regardless of COIN A setting.

#### 5. FACTORY SETTING

 Select this option to return ALL settings back to the original factory settings.

#### 6. EXIT (RESET)

• Select this option to exit from the test mode.

## Arabian Magic • JAMMA HARNESS CONNECTION CHART

SOLDER SIDE			COMPONENT SIDE		
FUNCTION	COLOR	COLOR CONNE		COLOR	FUNCTION
GROUND	BLK	A	1	BLK	GROUND
GROUND	BLK	В	2	BLK	GROUND
+5VDC	RED	С	3	RED	+5VDC
+5VDC	RED	D	4	RED	+5VDC
-5VDC	BRN	E	5	BRN	-5VDC
+12VDC	BLU	F	6	BLU	+12VDC
KEY		Н	7	KEY	
COIN METER B	WHT/VIO	J	8	BLU/BRN	COIN METER A
COIN LOCKOUT B		K	9		
SPEAKER (-)	BLK	L	10	WHT/BLK	SPEAKER (+)
		M	11		
VIDEO GREEN	GRN .	N	12	RED	VIDEO RED
VIDEO SYNC	WHT	Р	13	BLU	VIDEO BLUE
SERVICE SW	BRN/WHT	R	14	BLK	VIDEO GROUND
SLAM SW	WHT/BRN	S	15	YEL	TEST SWITCH
COIN B	GRN/YEL	Т	16	WHT/YEL	COIN A
2PL SELECT	RED/BLK	U.	17	PNK/BLK	1PL SELECT
2PL UP	BRN/BLU	V	18	ORN/BLU	1PL UP
2PL DOWN	. ORN/WHT	W	19	GRN/ORN	1PL DOWN
2PL LEFT .	ORN/GRN	X	20	GRN/BLU	1PL LEFT
2PL RIGHT	WHT/ORN	Υ	21	RED/YEL	1PL RIGHT
2PL ATTACK	BRN/BLK	Z	22	RED/WHT	1PL ATTACK
2PL JUMP	YEL/WHT	а	23	WHT/RED	1PL JUMP
2PL MAGIC	BRN/GRN	b	24	YEL/BLK	1PL MAGIC
	•	С	25		
		d	26		
GROUND	BLK	е	27	BLK	GROUND
GROUND	BLK	f	28	BLK	GROUND

### Arabian Magic 3RD AND 4TH PLAYER CONNECTION CHART

